

Visualization and Visual Analysis of Multi-faceted Scientific Data: A Survey

Johannes Kehrer^{1,2} and Helwig Hauser¹



¹ Department of Informatics,
University of Bergen, Norway

² VRVis Research Center, Vienna, Austria




Multi-faceted Scientific Data

- **Spatiotemporal data**
- **Multi-variate/multi-field data**
(multiple data attributes, e.g., temperature or pressure)
- **Multi-modal data**
(CT, MRI, large-scale measurements, simulations, etc.)
- **Multi-run/ensemble simulations** (repeated with varied parameter settings)
- **Multi-model scenarios**
(e.g., coupled climate model)




Multi-faceted Scientific Data

Coupled climate models




[Böttinger, ClimavVis08]


Categorization



- Literature review of 200+ papers on scientific data
- How are vis., interaction, and comput. analysis combined?




[compare to Keim et al. 2009;
Bertine & Lalanne 2009]




Fusion within a single visualization


- common frame of reference
- layering techniques (e.g., glyphs, color, transparency)
- multi-volume rendering (coregistration, segmentation)




Helix glyphs [Tominski et al. 05]



Layering [Kirby et al. 99]




Multi-volume rendering
[Beyer et al. 07]







Fusion of multiple simulation runs

- spaghetti plots [Diggle et al. 02]
- summary statistics (box plots and glyphs)




EnsembleVis [Potter et al. 09]






EnsembleVis [Potter et al. 09]




Glyph-based overview [Kehrer et al. 11]




Taxonomy [Gleicher et al. 2011]


- side-by-side comparison
- overlay in same coordinate system
- explicit encoding of differences / correlations



2-tone coloring [Saito et al. 05]



Nested surfaces [Buskin et al. 11]



Difference views [Lampe et al.]

visual mapping

interactive visual analysis

comput. analysis

visual data fusion

relation & comparison

navigation

focus+context & overview+detail

interactive feature spec.


data abstraction & aggregation

Interactive search, zooming, and panning

Ranking/quality metrics

[Bertini et al. 2011]


- clustering, correlations, outliers, image quality, etc.



[Johansson & Johansson 09]

Automated viewpoint selection

- information-theoretic measures



[Viola et al. 06]

visual mapping

interactive visual analysis

comput. analysis

visual data fusion

relation & comparison



navigation

focus+context & overview+detail

interactive feature spec.

data abstraction & aggregation

Parameter space navigation (multi-run data)



[Berger et al. 11]

visual mapping

interactive visual analysis

comput. analysis

visual data fusion

relation & comparison


navigation


focus+context & overview+detail

interactive feature spec.


data abstraction & aggregation


■ Overview+detail representation of multi-run data






- Brushing in multiple linked views
- Tight integration with supervised machine learning





Fluid-structure interactions (multi-model data)

- heat exchange between fluid \leftrightarrow structure
- feature specification/transfer across data parts [Kehrer et al. 11]



visual mapping

interactive visual analysis

comput. analysis

visual data fusion

relation & comparison

navigation


focus+context & overview+detail

interactive feature spec.


data abstraction & aggregation

Algorithmically extract values & patterns


- dimensionality reduction (PCA, SOM, MDS)
- aggregation, summary statistics
- clustering, outliers, etc.



clusters ↓



clustering of multi-run simulations [Bruckner & Möller 10]




[Andrienko & Andrienko 11]

Categorization of approaches

	visual mapping	interactive visual analysis			computational analysis	
	<i>visual data fusion</i>	<i>relation & comparison</i>	<i>navigation</i>	<i>focus+context & overview+detail</i>	<i>interactive feature specification</i>	<i>data abstraction & aggregation</i>
<i>multi-dimensional</i>	maps [13], [14], [92]; Helix glyphs [93]; flow maps [105]; function graphs [70], [71], [72]; Time Histograms [94], [110], [111]; chrono volumes [98]; illustrative techniques [99]; texture-based flow vis. [100]	2-tone coloring [20]; Helix glyphs [93]; juxtaposed views [19], [110]; difference views [107]	search, zooming and panning [40], [54]	2-tone coloring [20]; multi-level focus+context [71]; pixel-based multi-resolution techn. [104]	brushing [21], [70], [71], [95], [113]; transfer functions [110], [111]	aggregation [15], [103], [105]; trends [21]; flow features [82]; clustering [83], [84], [110]; PCA [17], [78], [85]; SOM [89], [90]; KDE [106], [107]; information theory [108]; wavelet analysis [109], [110]
<i>multi-variate</i>	attribute views [22], [50], [67]; color & texture [119]; layering [115], [124], [126]; 2-level volume rendering [127], [128]; glyphs [120], [121], [122], [123], [124], [125]	correlation fields [133]; operators [134]; multiple linked views [9], [26], [29], [73], [74], [76]	grand tour [47]; ScatterDice [46]; ranking & quality metrics [48], [130], [131], [132]	illustrative vis. [115], [116]; outlier-preserving methods [69]; smooth brushing [80]	brushing [9], [50], [74], [75], [112]; multi-dim. transfer func. [114], [115]; machine learning [91], [135], [136]	clustering [68], [130]; data binning [69]; PCA [78]; MDS [86], [87]; SOM [88], [89]; projections [47], [48], [130], [132]; point clouds [129]
<i>multi-modal</i>	resampling [138]; data model [142]; illumination model [143]; multi-volume rendering [128], [139], [143], [144], [145], [146]	difference views [107]; multi-image view [153]; nested surfaces [31], [154], [156]; features [44], [155]	viewpoint selection [49]	cutaway views [147], [139], [49]	transfer functions [143], [144]	registration [27]; mutual information [28]; comparison metrics [148], [151], [152], [133]
<i>multi-run</i>	glyphs & box plots [37], [43], [162], [163], [164]; shape descriptors [164]; families of surfaces [41]; spaghetti plots [35], [42], [165]	aggregated & multi-run data [36], [37], [41], [174]; HyperMoVal [51], [52]	aggregated & multi-run data [36], [37], [41]; parameter space nav. [51], [52]	aggregated & multi-run data [36], [37], [41]; simulation process vis. [173], [174]	trends & outliers [36], [37], [41]; visual steering [172]	overview statistics [31], [35], [36]; projections [41], [51], [170], [171]; operators [33]; PCA [169]; clustering [167], [168], [169]
<i>multi-model</i>	feature fusion across multiple data parts [37]	feature relation across data parts [37]	x	x	feature spec. across data parts [37]	x

Open Issues




■ How to deal with data heterogeneity?

- most approaches only address one or two data facet
- coordinated multiple views with linking & brushing
- investigation of features across views, data facets, levels of abstraction, and data sets
- fusion of heterogeneous data at feature/semantic level


■ Combination of vis., interaction, and comput. analysis

- analytical methods can control steps in visualization pipeline (e.g., visualization mapping or quality metrics)
- interactive feature specification + machine learning













Conclusions



- Scientific data are becoming multi-faceted
- Categorization based on common visualization, interaction, and comput. analysis methods



- Promising data facets, e.g., multi-run & multi-model data



Thank you for your attention!

Acknowledgements

H. Schumann, M. Chen, T. Nocke,
VisGroup in Bergen, H. Piringer, M.E. Gröller

Supported in part by the Austrian Funding Agency (FFG)